

PART 70 MINOR SOURCE MODIFICATION OFFICE OF AIR MANAGEMENT

**GenCorp, Inc.
One General Street
Wabash, IN 46992**

(herein known as the Permittee) is hereby authorized to construct and operate subject to the conditions contained herein, the emission units described in Section A (Source Summary) of this approval.

This approval is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-7 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17.

1st Significant Source Modification: 169-11083-00004, issued on December 3, 1999

2nd Significant Source Modification: 169-11387-00004, issued on March 13, 2000

1st Minor Source Modification No.: 169-12230-00004

Issued by:
Paul Dubenetzky, Branch Chief
Office of Air Management

Issuance Date:

TABLE OF CONTENTS

A	SOURCE SUMMARY	3
A.1	General Information [326 IAC 2-7-4(c)] [326 IAC 2-7-5(15)]	
A.2	Emission Units and Pollution Control Equipment Summary [326 IAC 2-7-4(c)(3)]	
A.3	Part 70 Permit Applicability [326 IAC 2-7-2]	
B	GENERAL CONSTRUCTION CONDITIONS	4
B.1	Permit No Defense [IC 13]	
B.2	Definitions [326 IAC 2-7-1]	
B.3	Effective Date of the Permit [IC13-15-5-3]	
B.4	Revocation of Permits [326 IAC 2-1.1-9(5)][326 IAC 2-7-10.5(i)]	
C	GENERAL OPERATION CONDITIONS	5
C.1	Certification [326 IAC 2-7-4(f)][326 IAC 2-7-6(1)][326 IAC 2-7-5(3)(C)]	
C.2	Preventive Maintenance Plan [326 IAC 2-7-5(1),(3) and (13)] [326 IAC 2-7-6(1) and (6)]	
C.3	Permit Amendment or Modification [326 IAC 2-7-11] [326 IAC 2-7-12]	
C.4	Opacity [326 IAC 5-1]	
C.5	Operation of Equipment [326 IAC 2-7-6(6)]	
	Testing Requirements [326 IAC 2-7-6(1)]	
C.6	Performance Testing [326 IAC 3-6][326 IAC 2-1.1-11]	
	Corrective Actions and Response Steps [326 IAC 2-7-5] [326 IAC 2-7-6]	
C.7	Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-7-5]	
	Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]	
C.8	Monitoring Data Availability [326 IAC 2-7-6(1)] [326 IAC 2-7-5(3)]	
C.9	General Record Keeping Requirements [326 IAC 2-7-5(3)][326 IAC 2-7-6]	
C.10	General Reporting Requirements [326 IAC 2-7-5(3)(C)]	
D.1	FACILITY OPERATION CONDITIONS - Below Belt Coating Operation	10
D.1.1	Volatile Organic Compounds (VOCs) [326 IAC 8-1-6]	
D.1.2	Hazardous Air Pollutants (HAPs) [326 IAC 2-4.1]	
	Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]	
D.1.3	Record Keeping Requirements	
D.1.4	Reporting Requirements	
Certification	11

SECTION A

SOURCE SUMMARY

This approval is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Management (OAM). The information describing the emission units contained in conditions A.1 through A.2 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits or seek modification of this approval pursuant to 326 IAC 2, or change other applicable requirements presented in the permit application.

A.1 General Information [326 IAC 2-7-4(c)] [326 IAC 2-7-5(15)]

The Permittee owns and operates stationary various extruded rubber vehicle sealing product manufacturing plant.

Responsible Official: John Keely
Source Address: One General Street, Wabash, IN 46992
Mailing Address: P.O. Box 507, Wabash, IN 46992
Phone Number: 219-569-5255
SIC Code: 3069
County Location: Wabash
County Status: Attainment for all criteria pollutants
Source Status: Part 70 Permit Program
Minor Source, under PSD Rules;
Minor Source, Section 112 of the Clean Air Act

A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-7-4(c)(3)] [326 IAC 2-7-5(15)]

This stationary source is approved to construct and operate the following emission units and pollution control devices:

- (a) one (1) below belt coating operation consisting of one spray coating booth with a maximum capacity of 212 rubber vehicle sealing parts per hour, identified as U152 and exhausting to stack SV F3-12, and
- (b) three (3) electric IR ovens exhausting to stack SV F3-13.

A.3 Part 70 Permit Applicability [326 IAC 2-7-2]

This stationary source is required to have a Part 70 permit by 326 IAC 2-7-2 (Applicability) because:

- (a) It is a major source, as defined in 326 IAC 2-7-1(22);
- (b) It is an affected source under Title IV (Acid Deposition Control) of the Clean Air Act, as defined in 326 IAC 2-7-1(3);
- (c) It is a source in a source category designated by the United States Environmental Protection Agency (U.S. EPA) under 40 CFR 70.3 (Part 70 - Applicability).

SECTION B GENERAL CONSTRUCTION CONDITIONS

B.1 Permit No Defense [IC 13]

This approval to construct does not relieve the Permittee of the responsibility to comply with the provisions of the Indiana Environmental Management Law (IC 13-11 through 13-20; 13-22 through 13-25; and 13-30), the Air Pollution Control Law (IC 13-17) and the rules promulgated thereunder, as well as other applicable local, state, and federal requirements.

B.2 Definitions [326 IAC 2-7-1]

Terms in this approval shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, any applicable definitions found in IC 13-11, 326 IAC 1-2 and 326 IAC 2-7 shall prevail.

B.3 Effective Date of the Permit [IC13-15-5-3]

Pursuant to IC 13-15-5-3, this approval becomes effective upon its issuance.

B.4 Revocation of Permits [326 IAC 2-1.1-9(5)][326 IAC 2-7-10.5(i)]

Pursuant to 326 IAC 2-1.1-9(5)(Revocation of Permits), the Commissioner may revoke this approval if construction is not commenced within eighteen (18) months after receipt of this approval or if construction is suspended for a continuous period of one (1) year or more.

SECTION C GENERAL OPERATION CONDITIONS

C.1 Certification [326 IAC 2-7-4(f)][326 IAC 2-7-6(1)][326 IAC 2-7-5(3)(C)]

- (a) Where specifically designated by this approval or required by an applicable requirement, any application form, report, or compliance certification submitted under this approval shall contain certification by a responsible official of truth, accuracy, and completeness. This certification, shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.
- (b) One (1) certification shall be included, on the attached Certification Form, with each submittal.
- (c) A responsible official is defined at 326 IAC 2-7-1(34).

C.2 Preventive Maintenance Plan [326 IAC 2-7-5(1),(3) and (13)] [326 IAC 2-7-6(1) and (6)] [326 IAC 1-6-3]

- (a) If required by specific condition(s) in Section D of this approval, the Permittee shall prepare and maintain Preventive Maintenance Plans (PMP) within ninety (90) days after issuance of this approval, including the following information on each facility:
 - (1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;
 - (2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions;
 - (3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.

If due to circumstances beyond its control, the PMP cannot be prepared and maintained within the above time frame, the Permittee may extend the date an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Management
100 North Senate Avenue, P. O. Box 6015
Indianapolis, Indiana 46206-6015

- (b) The Permittee shall implement the Preventive Maintenance Plans as necessary to ensure that failure to implement the Preventive Maintenance Plan does not cause or contribute to a violation of any limitation on emissions or potential to emit.
- (c) PMP's shall be submitted to IDEM, OAM, upon request and shall be subject to review and approval by IDEM, OAM. IDEM, OAM, may require the Permittee to revise its Preventive Maintenance Plan whenever lack of proper maintenance causes or contributes to any violation.

C.3 Permit Amendment or Modification [326 IAC 2-7-11] [326 IAC 2-7-12]

- (a) The Permittee must comply with the requirements of 326 IAC 2-7-11 or 326 IAC 2-7-12 whenever the Permittee seeks to amend or modify this approval.
- (b) Any application requesting an amendment or modification of this approval shall be submitted to:

Indiana Department of Environmental Management
Permits Branch, Office of Air Management
100 North Senate Avenue, P.O. Box 6015
Indianapolis, Indiana 46206-6015

Any such application should be certified by the "responsible official" as defined by 326 IAC 2-7-1(34) only if a certification is required by the terms of the applicable rule

- (c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-7-11(c)(3)]

C.4 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Exemptions), opacity shall meet the following, unless otherwise stated in this approval:

- (a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings) as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor in a six (6) hour period.

C.5 Operation of Equipment [326 IAC 2-7-6(6)]

Except as otherwise provided in this approval, all air pollution control equipment listed in this approval and used to comply with an applicable requirement shall be operated at all times that the emission unit vented to the control equipment is in operation.

Testing Requirements [326 IAC 2-7-6(1)]

C.6 Performance Testing [326 IAC 3-6][326 IAC 2-1.1-11]

- (a) Compliance testing on new emission units shall be conducted within 60 days after achieving maximum production rate, but no later than 180 days after initial start-up, if specified in Section D of this approval. All testing shall be performed according to the provisions of 326 IAC 3-6 (Source Sampling Procedures), except as provided elsewhere in this approval, utilizing any applicable procedures and analysis methods specified in 40 CFR 51, 40 CFR 60, 40 CFR 61, 40 CFR 63, 40 CFR 75, or other procedures approved by IDEM, OAM.

A test protocol, except as provided elsewhere in this approval, shall be submitted to:

Indiana Department of Environmental Management
Compliance Data Section, Office of Air Management
100 North Senate Avenue, P. O. Box 6015
Indianapolis, Indiana 46206-6015

no later than thirty-five (35) days prior to the intended test date. The Permittee shall submit a notice of the actual test date to the above address so that it is received at least two weeks prior to the test date.

- (b) All test reports must be received by IDEM, OAM within forty-five (45) days after the completion of the testing. An extension may be granted by the IDEM, OAM, if the source submits to IDEM, OAM, a reasonable written explanation within five (5) days prior to the end of the initial forty-five (45) day period.

The documentation submitted by the Permittee does not require certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

Corrective Actions and Response Steps [326 IAC 2-7-5] [326 IAC 2-7-6]

C.7 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-7-5] [326 IAC 2-7-6]

- (a) When the results of a stack test performed in conformance with Section C - Performance Testing, of this approval exceed the level specified in any condition of this approval, the Permittee shall take appropriate corrective actions. The Permittee shall submit a description of these corrective actions to IDEM, OAM, within thirty (30) days of receipt of the test results. The Permittee shall take appropriate action to minimize emissions from the affected facility while the corrective actions are being implemented. IDEM, OAM shall notify the Permittee within thirty (30) days, if the corrective actions taken are deficient. The Permittee shall submit a description of additional corrective actions taken to IDEM, OAM within thirty (30) days of receipt of the notice of deficiency. IDEM, OAM reserves the authority to use enforcement activities to resolve noncompliant stack tests.
- (b) A retest to demonstrate compliance shall be performed within one hundred twenty (120) days of receipt of the original test results. Should the Permittee demonstrate to IDEM, OAM that retesting in one-hundred and twenty (120) days is not practicable, IDEM, OAM may extend the retesting deadline. Failure of the second test to demonstrate compliance with the appropriate approval conditions may be grounds for immediate revocation of the approval to operate the affected facility.

The documents submitted pursuant to this condition do not require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]

C.8 Monitoring Data Availability [326 IAC 2-7-6(1)] [326 IAC 2-7-5(3)]

- (a) With the exception of performance tests conducted in accordance with Section C- Performance Testing, all observations, sampling, maintenance procedures, and record keeping, required as a condition of this approval shall be performed at all times the equipment is operating at normal representative conditions.
- (b) As an alternative to the observations, sampling, maintenance procedures, and record keeping of subsection (a) above, when the equipment listed in Section D of this approval is not operating, the Permittee shall either record the fact that the equipment is shut down or perform the observations, sampling, maintenance procedures, and record keeping that would otherwise be required by this approval.
- (c) If the equipment is operating but abnormal conditions prevail, additional observations and sampling should be taken with a record made of the nature of the abnormality.
- (d) If for reasons beyond its control, the operator fails to make required observations, sampling, maintenance procedures, or record keeping, reasons for this must be recorded.

- (e) At its discretion, IDEM may excuse such failure providing adequate justification is documented and such failures do not exceed five percent (5%) of the operating time in any quarter.
- (f) Temporary, unscheduled unavailability of staff qualified to perform the required observations, sampling, maintenance procedures, or record keeping shall be considered a valid reason for failure to perform the requirements stated in (a) above.

C.9 General Record Keeping Requirements [326 IAC 2-7-5(3)][326 IAC 2-7-6]

- (a) Records of all required monitoring data and support information shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. These records shall be kept at the source location for a minimum of three (3) years and available upon the request of an IDEM, OAM, representative. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner makes a written request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.
- (b) Records of required monitoring information shall include, where applicable:
 - (1) The date, place, and time of sampling or measurements;
 - (2) The dates analyses were performed;
 - (3) The company or entity performing the analyses;
 - (4) The analytic techniques or methods used;
 - (5) The results of such analyses; and
 - (6) The operating conditions existing at the time of sampling or measurement.
- (c) Support information shall include, where applicable:
 - (1) Copies of all reports required by this approval;
 - (2) All original strip chart recordings for continuous monitoring instrumentation;
 - (3) All calibration and maintenance records;
 - (4) Records of preventive maintenance shall be sufficient to demonstrate that failure to implement the Preventive Maintenance Plan did not cause or contribute to a violation of any limitation on emissions or potential to emit. To be relied upon subsequent to any such violation, these records may include, but are not limited to: work orders, parts inventories, and operator's standard operating procedures. Records of response steps taken shall indicate whether the response steps were performed in accordance with the Compliance Response Plan required by Section C - Compliance Monitoring Plan - Failure to take Response Steps, of this approval, and whether a deviation from an approval condition was reported. All records shall briefly describe what maintenance and response steps were taken and indicate who performed the tasks.

- (d) All record keeping requirements not already legally required shall be implemented within ninety (90) days of approval issuance.

C.10 General Reporting Requirements [326 IAC 2-7-5(3)(C)]

- (a) The reports required by conditions in Section D of this approval shall be submitted to:

Indiana Department of Environmental Management
Compliance Data Section, Office of Air Management
100 North Senate Avenue, P. O. Box 6015
Indianapolis, Indiana 46206-6015

- (b) Unless otherwise specified in this approval, any notice, report, or other submission required by this approval shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAM, on or before the date it is due.
- (c) Unless otherwise specified in this approval, any semi-annual report shall be submitted within thirty (30) days of the end of the reporting period. The report does not require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).
- (d) The first report shall cover the period commencing on the date of issuance of this approval and ending on the last day of the reporting period.

SECTION D.1 FACILITY OPERATION CONDITIONS

Facility Description [326 IAC 2-7-5(15)]:

- (a) one (1) below belt coating operation consisting of one spray coating booth with a maximum capacity of 212 rubber vehicle sealing parts per hour, identified as U152 and exhausting to stack SV F3-12, and
- (b) three (3) electric IR ovens exhausting to stack SV F3-13.

Emission Limitations and Standards [326 IAC 2-7-5(1)]

D.1.1 Volatile Organic Compounds (VOCs) [326 IAC 8-1-6]

The VOC potential emissions from this facility are less than two (2) tons per month. Therefore, the best available control technology (BACT) requirement in 326 IAC 8-1-6 (New Facilities: General Reduction Requirements) does not apply. Any change or modification which may increase VOC potential emissions to 25 tons per year or more from this facility shall obtain OAM approval before such change may occur.

D.1.2 Hazardous Air Pollutants (HAPs) [326 IAC 2-4.1]

The combined HAP potential emissions from this facility are less than two (2) tons per month, and individual HAP potential emissions are less than 0.8 tons per pollutant per month. Therefore, the maximum achievable control technology (MACT) requirement in 326 IAC 2-4.1-1 (New Source Toxics Control) does not apply. Any change or modification which may:

- (a) increase individual HAP potential emissions to 10 tons per year or more, or
- (b) increase combined HAP potential emissions to 25 tons per year or more

from this facility shall obtain OAM approval before such change may occur.

Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]

D.1.3 Record Keeping Requirements

- (a) To document compliance with the conditions in this section, the Permittee shall maintain records in accordance with (1) through (4) below. Records maintained for (1) through (4) shall be taken monthly.
 - (1) The amount and VOC content of each coating material and solvent used. Records shall include purchase orders, invoices, and material safety data sheets (MSDS) necessary to verify the type and amount used.
 - (2) The VOC content of the coatings used;
 - (3) The cleanup solvent usage for each month; and
 - (4) The total VOC usage for each month.
- (b) All records shall be maintained in accordance with Section C - General Record Keeping Requirements, of this permit.

D.1.4 Reporting Requirements

The Permittee is not required to submit reports on this facility by this permit. However, IDEM may require reporting when necessary to determine if the facility is in compliance. If reporting is required by IDEM, reports shall be submitted in accordance with Section C - General Reporting Requirements.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR MANAGEMENT
COMPLIANCE DATA SECTION**

**PART 70 SOURCE MODIFICATION
CERTIFICATION**

Source Name: GenCorp, Inc.
Source Address: One General Street, Wabash, IN 46992
Mailing Address: P.O. Box 507, Wabash, IN 46992
Source Modification No.: 169-12230-00004

This certification shall be included when submitting monitoring, testing reports/results or other documents as required by this approval.

Please check what document is being certified:

- 9 Test Result (specify) _____
- 9 Report (specify) _____
- 9 Notification (specify) _____
- 9 Other (specify) _____

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Signature:

Printed Name:

Title/Position:

Date:

Indiana Department of Environmental Management Office of Air Management

Technical Support Document (TSD) for a Minor Source Modification to a Part 70 Operating Permit

Source Background and Description

Source Name:	GenCorp, Inc.
Source Location:	One General Street, Wabash, IN 46992
County:	Wabash
SIC Code:	3069
Permit Modification No.:	169-12230-00004
Permit Reviewer:	Phillip Ritz/EVP

The Office of Air Management (OAM) has reviewed a modification application from GenCorp, Inc. relating to the operation of a below belt coating operation.

History

On May 4, 2000, GenCorp, Inc. submitted an application to the OAM requesting to add an off-line coating operation to their existing various extruded rubber vehicle sealing product manufacturing plant. GenCorp, Inc. submitted a Part 70 permit application for an automobile parts manufacturing plant on April 1, 1996, and is currently under IDEM's review.

The emission source has since received two significant source modifications, two registration letters and one construction permit since April 1, 1996. These approvals and the proposed modification will be incorporated into the pending Part 70 permit.

New Emission Units and Pollution Control Equipment Receiving Prior Approval

The application includes information relating to the prior approval for the construction and operation of the following equipment pursuant to 326 IAC 2-7-5(16):

- (a) one (1) below belt coating operation consisting of one spray coating booth with a maximum capacity of 212 rubber vehicle sealing parts per hour, identified as U152 and exhausting to stack SV F3-12, and
- (b) three (3) electric IR ovens exhausting to stack SV F3-13.

Enforcement Issue

There are no enforcement actions pending.

Stack Summary

Stack ID	Operation	Height (feet)	Diameter (feet)	Flow Rate (acfm)	Temperature (°F)
F3-12	Surface Coating	32	2.8	12,772	ambient
P3-13	Electric IR Ovens	32.6	0.8	1,100	< 500

Recommendation

The staff recommends to the Commissioner that the Minor Source Modification be approved. This recommendation is based on the following facts and conditions:

Unless otherwise stated, information used in this review was derived from the application and additional information submitted by the applicant.

An application for the purposes of this review was received on May 4, 2000.

Emission Calculations

See Appendix A of this document for detailed emissions calculations (Appendix A, pages 1 through 2.)

Potential To Emit Before Controls

Pursuant to 326 IAC 2-1.1-1(16), Potential to Emit is defined as “the maximum capacity of a stationary source to emit any air pollutant under its physical and operational design. Any physical or operational limitation on the capacity of a source to emit an air pollutant, including air pollution control equipment and restrictions on hours of operation or type or amount of material combusted, stored, or processed shall be treated as part of its design if the limitation is enforceable by the U. S. EPA.”

Pollutant	Potential To Emit (tons/year)
PM	0.18
PM-10	0.18
SO ₂	0.00
VOC	12.68
CO	0.00
NO _x	0.00

HAP's	Potential To Emit (tons/year)
Methyl Isobutyl Ketone	0.44
Toluene	9.89
Xylene	1.50
TOTAL	11.83

Justification for Modification

The Title V permit is being modified through a Minor Source Modification. This modification is being performed pursuant to 326 IAC 2-7-10.5(e)(2).which states that modifications that would have a potential to emit Less than twenty-five (25) tons per year and equal to or greater than five (5) tons per year of either particulate matter (PM) or particulate matter less than ten (10) microns (PM₁₀); Less than twenty-five (25) tons per year and equal to or greater than ten (10) tons per year of Volatile organic compounds (VOC); and less than twenty-five (25) tons per year of any regulated pollutant other than hazardous air pollutants, ten (10) tons per year of any single hazardous air pollutant as defined under Section 112(b) of the CAA, or twenty-five (25) tons per year of any combination of hazardous air pollutants.

County Attainment Status

The source is located in Wabash County.

Pollutant	Status
PM-10	attainment
SO ₂	attainment
NO ₂	attainment
Ozone	attainment
CO	attainment
Lead	attainment

- (a) Volatile organic compounds (VOC) and oxides of nitrogen (NO_x) are precursors for the formation of ozone. Therefore, VOC and NO_x emissions are considered when evaluating the rule applicability relating to the ozone standards. Wabash County has been designated as attainment or unclassifiable for ozone.

Source Status

Existing Source PSD Definition (emissions after controls, based upon 8760 hours of operation per year at rated capacity and/or as otherwise limited):

Pollutant	Potential To Emit (tons/year)
PM	131.16
PM-10	131.16
SO ₂	20.01
VOC	249.0
CO	101.18
NO _x	249.0

HAP's	Potential To Emit (tons/year)
Single HAP	>10.0
Total HAP	> 25.0

- (a) This existing source is not a major stationary source because no attainment regulated pollutant is emitted at a rate of 250 tons per year or more, and it is not one of the 28 listed source categories.
- (b) These emissions are based upon the potential to emit table from the second significant source modification SSM169-11387-00004, issued on March 13, 2000.

Potential to Emit of Modification After Issuance

The table below summarizes the potential to emit, reflecting all limits, of the significant emission units after controls. The control equipment is considered federally enforceable only after issuance of this Part 70 source modification.

	Potential to Emit (tons/year)						
Process/facility	PM	PM-10	SO ₂	VOC	CO	NO _x	Single/ Combination HAPs
below belt coating operation (U152)	0.18	0.18	0.00	12.68	0.00	0.00	9.90/ 11.80
Totals	0.18	0.18	0.00	12.68	0.00	0.00	9.90/ 11.80
PSD Significance Levels	250	250	250	250	250	250	--

This modification to an existing minor stationary source is not major because the emission increase is less than the PSD significant levels. Therefore, pursuant to 326 IAC 2-2, and 40 CFR 52.21, the PSD requirements do not apply.

Federal Rule Applicability

- (a) There are no New Source Performance Standards (NSPS)(326 IAC 12 and 40 CFR Part 60) applicable to this source.
- (b) There are no National Emission Standards for Hazardous Air Pollutants (NESHAPs)(326 IAC 14 and 40 CFR Part 63) applicable to this source.

State Rule Applicability - Entire Source

326 IAC 2-6 (Emission Reporting)

This source is subject to 326 IAC 2-6 (Emission Reporting), because it has the potential to emit more than one hundred (100) tons per year of pollutants specified in the rule. Pursuant to this rule, the source must annually submit an emission statement for the source. The annual statement must contain the minimum requirement as specified in 326 IAC 2-6-4. The submittal should cover the period defined in 326 IAC 2-6-2(8)(Emission Statement Operating Year).

326 IAC 5-1 (Visible Emissions Limitations)

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Exemptions), opacity shall meet the following, unless otherwise stated in this permit:

- (a) Opacity shall not exceed an average of forty percent (40%) any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings) as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

State Rule Applicability - Individual Facilities

326 IAC 2-4.1 (Major Sources of Hazardous Air Pollutants)

The one (1) below belt coating operation, identified as U152, does not by itself have potential to emit 10 tons per year of any HAP or 25 tons per year of any combination of HAPs, and is therefore not subject to 326 IAC 2-4.1-1 (New Source Toxics Control).

326 IAC 8-1-6 (General VOC Reduction Requirements)

The one (1) below belt coating operation, identified as U152, is not subject to 326 IAC 8-1-6 (General Reduction Requirements) because the potential to emit volatile organic compounds is less than twenty-five (25) tons per year. Therefore, the BACT (best available control technology) requirements do not apply.

No other article 8 rules apply.

Conclusion

The operation of this addition of an off-line coating operation at their existing various extruded rubber vehicle sealing product manufacturing plant shall be subject to the conditions of the attached proposed Minor Source Modification No. 169-12230-00004.

Appendix A: Emission Calculations
HAP Emission Calculations

Page 1 of ? TSD AppA

Company Name: Gencorp, Inc.
Address City IN Zip: One General Street, Wabash, IN 46992
CP: 169-12230-00004
Reviewer: Phillip Ritz/EVP
Date: May 4, 2000

Material	Density (Lb/Gal)	Gallons of Material (gal/unit)	Maximum (unit/hour)	Weight % Xylene	Weight % Toluene	Weight % Methyl Isobutyl Ketone	Xylene Emissions ton/yr)	Toluene Emissions ton/yr)	Methyl Isobutyl Ketone Emissions ton/yr)
U152 Coating Booth									
Urethane Coating	7.6	0.002300	212.00	9.22%	60.85%	2.69%	1.50	9.89	0.44

Total State Potential Emissions	1.50	9.89	0.44
			11.83

METHODOLOGY

HAPS emission rate (tons/yr) = Density (lb/gal) * Gal of Material (gal/unit) * Maximum (unit/hr) * Weight % HAP * 8760 hrs/yr * 1 ton/2000 lbs

**Appendix A: Emissions Calculations
VOC and Particulate
From Surface Coating Operations**

Page 1 of ? TSD App A

**Company Name: Gencorp, Inc.
Address City IN Zip: One General Street, Wabash, IN 46992
CP: 169-12230-00004
Reviewer: Phillip Ritz/EVP
Date: May 4, 2000**

Material	Density (Lb/Gal)	Weight % Volatile (H2O & Organics)	Weight % Water	Weight % Organics	Volume % Water	Volume % Non-Volatiles (solids)	Gal of Mat. (gal/unit)	Maximum (unit/hour)	Pounds VOC per gallon of coating less water	Pounds VOC per gallon of coating	Potential VOC pounds per hour	Potential VOC pounds per day	Potential VOC tons per year	Particulate Potential (ton/yr)	lb VOC/gal solids	Transfer Efficiency
U152 Coating Booth																
Urethane Coating	7.6	78.00%	0.0%	78.0%	0.0%	17.85%	0.00230	212.000	5.94	5.94	2.89	69.46	12.68	0.89	33.25	75%

State Potential Emissions

Add worst case coating to all solvents

2.89 69.46 12.68 0.89

Control Efficiency:		Limit Usage: VOC lbs per Hour	Limit Usage: VOC lbs per Day	Limit Usage: VOC tons per Year	Limit Usage: PM
VOC	PM				
0.00%	80.00%	2.89	69.46	12.68	0.18

METHODOLOGY

Pounds of VOC per Gallon Coating less Water = (Density (lb/gal) * Weight % Organics) / (1-Volume % water)
Pounds of VOC per Gallon Coating = (Density (lb/gal) * Weight % Organics)
Potential VOC Pounds per Hour = Pounds of VOC per Gallon coating (lb/gal) * Gal of Material (gal/unit) * Maximum (units/hr)
Potential VOC Pounds per Day = Pounds of VOC per Gallon coating (lb/gal) * Gal of Material (gal/unit) * Maximum (units/hr) * (24 hr/day)
Potential VOC Tons per Year = Pounds of VOC per Gallon coating (lb/gal) * Gal of Material (gal/unit) * Maximum (units/hr) * (8760 hr/yr) * (1 ton/2000 lbs)
Particulate Potential Tons per Year = (units/hour) * (gal/unit) * (lbs/gal) * (1- Weight % Volatiles) * (1-Transfer efficiency) *(8760 hrs/yr) *(1 ton/2000 lbs)
Pounds VOC per Gallon of Solids = (Density (lbs/gal) * Weight % organics) / (Volume % solids)